

**From:** [Rood, Timothy](#)  
**To:** [Amanda Wolf](#)  
**Cc:** [Downtown West Project](#); [Ruano, Jose](#)  
**Subject:** Re: Proposed DDG Framework Plan modifications in DSAP  
**Date:** Friday, October 16, 2020 9:39:12 AM

---

Thank you Amanda, this is helpful.

Best,  
Tim

---

**From:** Amanda Wolf <amandawolf@google.com>  
**Sent:** Friday, October 16, 2020 9:20:42 AM  
**To:** Rood, Timothy <timothy.rood@sanjoseca.gov>  
**Cc:** Downtown West Project <downtownwest@esassoc.com>; Ruano, Jose <Jose.Ruano@sanjoseca.gov>  
**Subject:** Re: Proposed DDG Framework Plan modifications in DSAP

[External Email]

Hi Tim,

Thank you for sharing these figures. A few comments:

- We agree, it makes sense to show gateway plaza as a park in the DDG figures. Thank you for the suggestion.
- 2-4-4: to be consistent with the DWDSG please make sure that the frontage along gateway plaza/building E is classified as an "open space frontage" (green dotted line), not an "urban park/plaza frontage"
- 2-4-6: the lighting line on Downtown to Diridon shared use path should turn follow the VTA after crossing the creek before reaching San Fernando.

Best,  
Amanda

On Thu, Oct 15, 2020 at 1:47 PM Rood, Timothy <[timothy.rood@sanjoseca.gov](mailto:timothy.rood@sanjoseca.gov)> wrote:

Amanda,

As discussed today, we would appreciate your thoughts on the attached DSAP diagrams that modify the DDG framework plans.

Thanks,  
Tim

--



**Amanda Wolf**  
| Development Manager  
Working for Lendlease at Google  
Sunnyvale, CA |  
628-240-4111

This message is from outside the City email system. Do not open links or attachments from untrusted sources.